

IV Solution & Ketamine Centers of Chicago Takes Part in Baylor Study of Ketamine Treatment for Severe Depression

January 12, 2023

CHICAGO, IL - January 12, 2023 - PRESSADVANTAGE -

IV Solution & Study, which was conducted at the Baylor College of Medicine in Houston on the response of patients with major depressive disorder to intravenous (IV) ketamine infusions. The study found that some types of patients were likely to gain a fast and significant amount of benefit from ketamine compared to the others. While most of the patients benefited from the drug, about one third of them experienced a ?much faster improvement? in their depression symptoms.

Brittany O?Brien, an assistant profession of behavioral sciences and psychiatry at the Baylor College of Medicine and the lead researcher for study, explains, ?Severely depressed individuals with a history of childhood trauma may have a better likelihood of a rapid and robust response to ketamine.? The study involved 298 patients who were on average 40 years old. They were mostly men and they had not responded to at least two antidepressants previously. The researchers measured mood changes by applying a standardized depression scale over six clinic visits.

There were three types of response to ketamine that were observed by the researchers. One group was severely depressed before the treatment and they were able to experience a fast and substantial improvement in their symptoms. The second group was also severely depressed but only experienced minimal improvement in their symptoms. And the third group was composed of patients who were less depressed than those in the other two groups and experienced a less rapid and a more gradual improvement in their symptoms. It turned out that the first group was composed of people with severe depression and had reported a history of childhood abuse and trauma. Apparently, past trauma has an impact on their response to ketamine IV therapy although the reason for this is not yet clear. It may be that sensitization may be a factor because a person exposed to a stimulus becomes more sensitive to it over time.

IV Solution & Solution

With regards to what patients can expect when going for ketamine treatment at IV Solution & Drowsiness may be expected for a few hours after the session. The length of response will vary from individual to individual but typically, patients may experience relief from their symptoms for 1 to 2 months after the first series of six infusions for depression.

People who are interested in IV ketamine therapy for depression and other related conditions can check out the IV Solution & Centers of Chicago website or contact them on the telephone or through email. They are open from 8:00 am to 5:00 pm from Monday to Friday, and from 9:00 am to 12:00 pm on Saturdays. Those who are interested can also take a look at their clinically proven therapy on YouTube. ###

For more information about IV Solution & Solution & Centers of Chicago, contact the company here:IV Solution & Centers of ChicagoBal Nandra, M.D.(844) 948-6337b.nandra@chicagoivsolution.com712 N Dearborn StChicago, IL 60654

IV Solution & Ketamine Centers of Chicago

Chicago?s first and foremost clinic to provide innovative intravenous medical ketamine treatments for the treatment of depression, PTSD, anxiety & Daniel Chicago?s first and foremost clinic to provide innovative intravenous medical ketamine treatments for the treatment of depression, PTSD, anxiety & Daniel Chicago?s first and foremost clinic to provide innovative intravenous medical ketamine treatments for the treatment of depression, PTSD, anxiety & Daniel Chicago.

Website: https://chicagoivsolution.com Email: b.nandra@chicagoivsolution.com Phone: (844) 948-6337



Powered by PressAdvantage.com