



## **Intricate Mold Cleaning with Dry Ice Blasting in Industrial Applications**

*April 21, 2026*

JACKSON, MI - April 21, 2026 - PRESSADVANTAGE -

A technical focus on dry ice mold vent cleaning is gaining attention in industrial maintenance, particularly in applications involving intricate rubber mold geometries. Nu-Ice Blasting?, a U.S.-based, veteran-owned manufacturer of dry ice blasting equipment, highlights the use of its systems for accessing tight crevices and micro-vent structures. Dry ice blasting is a non-abrasive industrial cleaning method that uses compressed air to accelerate solid CO<sub>2</sub> pellets, supporting detailed surface cleaning processes across precision manufacturing environments.

Dry ice blasting systems manufactured by Nu-Ice Blasting? operate by using compressed air to accelerate solid CO<sub>2</sub> pellets toward targeted surfaces. Upon impact, the pellets sublime from solid to gas, enabling contaminant removal without introducing additional media residue. The equipment is designed for manual operation, with trained users controlling blast pressure, pellet flow, and application technique. These systems are used by industrial facilities, maintenance teams, and restoration professionals across various sectors. The process remains entirely operator-controlled, with no automation or real-time optimization features, and all adjustments are made based on user input and application-specific requirements.

Nu-Ice Blasting? equipment incorporates configurable system components that allow operators to regulate cleaning parameters according to surface conditions. Adjustable blast pressure controls enable variation in force application, supporting different material sensitivities. Controlled pellet feed systems ensure consistent delivery of dry ice media during operation, maintaining steady flow rates. The equipment also includes engineered hoses and nozzles designed to support airflow stability and directional precision, particularly when accessing confined or detailed areas. These combined features allow for controlled and repeatable cleaning processes across industrial surfaces. Operators can maintain consistent settings for recurring tasks while modifying parameters when addressing variations in contamination levels or component geometry.

In industrial environments, dry ice blasting systems are incorporated into structured maintenance workflows where controlled surface cleaning is required. The process supports in-place cleaning, allowing operators to address components such as molds and equipment without full disassembly. This approach aligns with routine maintenance schedules, where cleaning procedures are integrated alongside production operations. Applications involving intricate mold cleaning dry ice are typically carried out within these workflows to access detailed geometries and confined spaces. The equipment functions as part of broader operational processes, with timing, coverage, and intensity determined by trained users rather than automated systems, ensuring alignment with established maintenance protocols.

Dry ice blasting equipment produced by Nu-Ice Blasting? is applied across multiple sectors where controlled surface cleaning is required. In manufacturing environments, the systems are used on production equipment, molds, and tooling. Food and beverage facilities apply the method to processing equipment as part of routine maintenance procedures. In automotive and aerospace industries, dry ice blasting is used on components, assemblies, and production line equipment. The technology is also utilized in electrical system maintenance, where non-conductive cleaning methods are necessary. Additionally, restoration professionals use the equipment in fire and smoke remediation projects to address residue on structural and mechanical surfaces. These applications are carried out based on operator control and industry-specific protocols.

Nu-Ice Blasting? equipment functions as a manually operated cleaning system and does not include autonomous or self-directed capabilities. The systems do not perform real-time decision-making or adjust operational parameters independently during use. All blasting pressure levels, pellet feed rates, and application techniques are determined and controlled by trained operators. The equipment does not execute maintenance tasks without direct user input and does not include monitoring systems for facility conditions or equipment performance. It is not designed to integrate with automated maintenance platforms or facility management systems. Instead, it operates as a tool within established cleaning and maintenance workflows, requiring full operator oversight throughout the process.

Nu-Ice Blasting? is a U.S.-based, veteran-owned manufacturer focused on the design and production of dry ice blasting equipment. The company conducts its engineering and manufacturing operations domestically, supporting the development of system components and equipment configurations used across its product line. Internal capabilities include the assembly of blasting systems and the integration of proprietary technologies such as controlled pellet feed mechanisms. Equipment produced by the company is applied in processes including non abrasive mold cleaning, where consistent system configuration and operator control are required. The organization maintains a focus on manufacturing and engineering, with infrastructure dedicated to equipment production rather than service-based operations.

###

For more information about Nu-Ice Dry Ice Blasting, contact the company here: Nu-Ice Dry Ice Blasting Brent Cooper 517.990.0665 sales@nuiceblasting.com 3255 Hart Road Jackson, Michigan USA 49201

## **Nu-Ice Dry Ice Blasting**

*Nu-Ice Age, Inc. is a veteran owned company based in Jackson, Michigan founded in 2007. After extensive research, design and testing we have developed a line of high-performance dry ice blasting machines for an environmentally friendly cleaning solution.*

Website: <https://www.nuiceblasting.com/>

Email: [sales@nuiceblasting.com](mailto:sales@nuiceblasting.com)

Phone: 517.990.0665

